



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/812,875	03/20/2001	Frantz Germain	0267-1415CIP8 (41912.0181)	1261
7590 01/13/2004			EXAMINER	
GREENBERG TRAURIG, LLP 21st Floor 885 Third Avenue New York, NY 10022			NGUYEN, DANNY	
			ART UNIT	PAPER NUMBER
			2836	

DATE MAILED: 01/13/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/812,875

Applicant(s)

GERMAIN ET AL.

Examiner

Danny Nguyen

Art Unit

2836

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 October 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____
- 4) ☐ Interview Summary (PTO-413) Paper No(s) _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect to amended claim 1 has been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claim 1 rejected under 35 U.S.C. 103(a) as being unpatentable over King (USPN 6,309,248) in view of Cooper et al (USPN 4,237,435). King discloses a circuit interrupting device (device 10 shown in fig. 1) comprises a housing (18), a phase conductive path and a neutral conductive path (a pair of conductors 34), each disposed at least partially within the housing between a line side and a load side, the phase conductive path terminating at a first connection (50) capable of conducting electricity to at least one load, a second connection (52) capable of conducting electricity to at least one load, a third connection (54 and 56) (see fig. 5) capably of conducting electricity to at least one user accessible load, the neutral conductive path terminating at a first connection (50) capable of conducting electricity to a source, a second connection (52) capable of providing a neutral connection to at least one load, a third connection (54

and 56) capably of conducting electricity to at least one user accessible load (see col. 4 and 5, lines 64-1), a circuit interrupting portion (GFCI device, see col. 8, lines 38-42) disposed within the housing and configured to cause electrical discontinuity in the phase and neutral paths between the line side and load side upon the occurrence of the predetermined condition, a reset portion (114, see col. 8, lines 43-46) disposed at least partially within the housing to cause reestablish electrical continuity in the phase and neutral paths and connecting to a lever (140) which is operated by insertion of a user plug (shown in fig. 8), and the circuit interrupting device further comprises a reset lockout portion that prevents reestablish electrical continuity in the phase and neutral paths if the circuit interrupting portion is non-operating (see col. 8, lines 48-51). King does not disclose the reset portion, which comprises a reset latch lever, and a slidable latch plate adapted to engage the reset lever as claimed. Cooper et al disclose a ground fault interrupted circuit (such as shown in fig. 6) comprises the reset portion (e.g. reset 25), which comprises a reset latch lever (115), and a slidable latch plate (105) adapted to engage the reset lever (115) (e.g. col. 8, lines 1-7). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified to the reset portion of King with the reset portion which comprises a reset latch lever and a slidable latch plate as taught by Cooper et al because Cooper et al teach that the reset portion is a simple and inexpensive structure and improves the ground fault protection (col. 1, lines 60-67).

Conclusion

2. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Danny Nguyen whose telephone number is (703)-305-5988. The examiner can normally be reached on Mon to Fri 8:00 AM to 4:30 PM.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Sircus can be reached on (703)-308-3119. The fax phone numbers for the organization where this application or proceeding is assigned are (703)-872-9318 for regular communications and (703)-872-9319 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)-308-0956.

DN

DN

January 5, 2004


GREGORY J. TOATLEY, JR.
PRIMARY EXAMINER